Index to Volume 65

	Issue	Page
2-D electromagnetic modeling by finite-element method with a dipole source and topography, Y. Mitsuhata	2	465
2-D inversion of gravity data using sources laterally bounded by continuous surfaces and depth-dependent density, J. García-Abdeslem	4	1128
3-D broad-band estimates of reflector dip and amplitude, K. J. Marfurt and R. L. Kirlin	1	304
3-D electromagnetic modeling and nonlinear inversion, G. Xie, J. Li, E. L. Majer, D. Zuo,and M. L. Oristaglio	3	804
3-D ground-penetrating radar simulation and plane-wave theory in anisotropic media, J. M. Carcione and M. A. Schoenberg	5	1527
3-D high-resolution reflection seismic imaging of unconsolidated glacial and glaciolacustrine sediments: Processing and interpretation, F. Büker, A. G. Green, and H. Horstmeyer	1	18
3-D inversion of induced polarization data, Y. Li and D. W. Oldenburg	6	1931
3-D inversions of magnetic gradiometer data in archeological prospecting: Possibilities and limitations, J. Herwanger, H. Maurer, A. G. Green, and J. Leckebusch	3	849
3-D prestack Kirchhoff beam migration for depth imaging, Y. Sun, F. Qin, S. Checkles, and J. P. Leveille	5	1592
3-D seismic modeling for cracked media: Shear-wave splitting at zero-offset, J. Ramos-Martinez, A. A. Ortega, and G. A. McMechan	1	211
3-D simulation of GPR surveys over pipes in dispersive soils, T. Wang and M. L. Oristaglio	5	1560
A blind interpretation of drill-bit signals, F. Poletto	3	970
A comparison of the correlation structure in GPR images of deltaic and barrier spit depositional environments, P. Tercier, R. Knight, and H. Jol	4	1142
A constrained parametric inversion for velocity analysis based on the CFP technology, M. M. N. Kabir and D. J. Verschuur	4	1210
A dual-grid nonlinear inversion technique with applications to the interpretation of dc resistivity data, C. Torres-Verdín, V. L. Druskin, S. Fang, L. A. Knizhnerman, and A. Malinverno	6	1733
A finite–difference injection approach to modeling seismic fluid flow monitoring, J. O. A. Robertsson, S. Ryan-Grigor, C. M. Sayers, and C. H. Chapman	3	896
A generalized form of Snell's law in anisotropic media, M. A. Slawinski, R. A. Slawinski, R. J. Brown, and J. M. Parkin	2	632
A model for seismic velocity and attenuation in petroleum source rocks, J. M. Carcione	4	1080
A new insight into the reciprocity principle, B. Arntsen and J. M. Carcione	5	1604
A sparse spectrum technique for gridding and separating potential-field anomalies, F. Guspí and B. Introcaso	4	1154
A unified framework for the deconvolution of traces of non-white reflectivity, M. M. Saggaf and E. A. Robinson	5	1660
Abbott, R. E., Depth to bedrock using gravimetry in the Reno and Carson City, Nevada, area basins	2	340
Abdelrahman, E. M., Shape and depth solutions from magnetic data using a parametric relationship	1	126
Acoustic crosswell imaging using asymptotic waveforms, H. Keers, L. R. Johnson, and D. W. Vasco	5	1569
Adair, R., see Salisbury, M. H.	6	1882
Adam, E., see Milkereit, B.	6	1890
Advanced inversion methods for airborne electromagnetic exploration, K.-P. Sengpiel and B. Siemon	6	1983
Airborne geophysical surveying for hazardous waste site characterization on the Oak Ridge Reservation, Tennessee, W. E. Doll, J. E. Nyquist, L. P. Beard, and T. J. Gamey	5	1372
Airborne resistivity and susceptibility mapping in magnetically polarizable areas, H. Huang and D. C. Fraser	2	502
Alkhalifah, T., An acoustic wave equation for anisotropic media	4	1239
Alkhalifah, T., Prestack phase-shift migration of separate offsets	4	1179
Alkhalifah, T., see Al-Dajani, A.	1	222
Alkhalifah, T., The offset-midpoint traveltime pyramid in transversely isotropic media	4	1316
Allen, P. M., see Dunbar, J. A.	3	994
Alumbaugh, D. L., Image appraisal for 2-D and 3-D electromagnetic inversion	5	1455
Alumbaugh, D. L., see Zhang, Z.	2	492
An acoustic wave equation for anisotropic media, T. Alkhalifah	4	1239
An approach to upscaling for seismic waves in statistically isotropic heterogeneous elastic media, N. Gold, S. A. Shapiro, S. Bojinski, and T. M. Müller	6	1837
An efficient data-subspace inversion method for two-dimensional magnetotelluric data, W. Siripunvaraporn and G. Egbert	3	791
An efficient method for calculating finite-difference seismograms after model alterations, J. O. A. Robertsson and C. H. Chapman	3	907
An overlooked aspect of the parabolic Radon transform, E. Maeland	4	1326
Analysis and removal of multiply scattered tube waves, G. C. Herman, P. A. Milligan, Q. Dong, J. W. Rector	3	745
Analytic study of the geometrical spreading of P-waves in a layered transversely isotropic medium with a vertical symmetry axis, H. Zhou and G. A. McMechan	4	1305
Anisotropic approximations for mudrocks: A seismic laboratory study, M. Jakobsen and T. A. Johansen	6	1711
Anisotropic effects on full and partial stacks, H. Chen and J. P. Castagna	4	1028
Annan, A. P., see Smith, R. S.	5	1489
Announcements	3	1015
	4	1346
	5	1694
Application of 3-D siesmic to mine planning at Vaal Reefs gold mine, number 10 shaft, Republic of South Africa, C. C. Pretorius, W. F. Trewick, A. Fourie, and C. Irons	6	1862
Application of gravity and magnetic methods to assess geological hazards and natural resource potential in the Mosida Hills, Utah County, Utah, A. K. Benson and A. R. Floyd	5	1514
Application of vertical radar profiling technique to Sendai Castle, H. Zhou and M. Sato	2	533
Approaches to defining reservoir physical properties from 3-D seismic attributes with limited well control: An example from the Jurassic Smackover Formation, Alabama, B. S. Hart and R. S. Balch	2	368

Index to Volume 65

	Issue	Page
2-D electromagnetic modeling by finite-element method with a dipole source and topography, Y. Mitsuhata	2	465
2-D inversion of gravity data using sources laterally bounded by continuous surfaces and depth-dependent density, J. García-Abdeslem	4	1128
3-D broad-band estimates of reflector dip and amplitude, K. J. Marfurt and R. L. Kirlin	1	304
3-D electromagnetic modeling and nonlinear inversion, G. Xie, J. Li, E. L. Majer, D. Zuo,and M. L. Oristaglio	3	804
3-D ground-penetrating radar simulation and plane-wave theory in anisotropic media, J. M. Carcione and M. A. Schoenberg	5	1527
3-D high-resolution reflection seismic imaging of unconsolidated glacial and glaciolacustrine sediments: Processing and interpretation, F. Büker, A. G. Green, and H. Horstmeyer	1	18
3-D inversion of induced polarization data, Y. Li and D. W. Oldenburg	6	1931
3-D inversions of magnetic gradiometer data in archeological prospecting: Possibilities and limitations, J. Herwanger, H. Maurer, A. G. Green, and J. Leckebusch	3	849
3-D prestack Kirchhoff beam migration for depth imaging, Y. Sun, F. Qin, S. Checkles, and J. P. Leveille	5	1592
3-D seismic modeling for cracked media: Shear-wave splitting at zero-offset, J. Ramos-Martinez, A. A. Ortega, and G. A. McMechan	1	211
3-D simulation of GPR surveys over pipes in dispersive soils, T. Wang and M. L. Oristaglio	5	1560
A blind interpretation of drill-bit signals, F. Poletto	3	970
A comparison of the correlation structure in GPR images of deltaic and barrier spit depositional environments, P. Tercier, R. Knight, and H. Jol	4	1142
A constrained parametric inversion for velocity analysis based on the CFP technology, M. M. N. Kabir and D. J. Verschuur	4	1210
A dual-grid nonlinear inversion technique with applications to the interpretation of dc resistivity data, C. Torres-Verdín, V. L. Druskin, S. Fang, L. A. Knizhnerman, and A. Malinverno	6	1733
A finite–difference injection approach to modeling seismic fluid flow monitoring, J. O. A. Robertsson, S. Ryan-Grigor, C. M. Sayers, and C. H. Chapman	3	896
A generalized form of Snell's law in anisotropic media, M. A. Slawinski, R. A. Slawinski, R. J. Brown, and J. M. Parkin	2	632
A model for seismic velocity and attenuation in petroleum source rocks, J. M. Carcione	4	1080
A new insight into the reciprocity principle, B. Arntsen and J. M. Carcione	5	1604
A sparse spectrum technique for gridding and separating potential-field anomalies, F. Guspí and B. Introcaso	4	1154
A unified framework for the deconvolution of traces of non-white reflectivity, M. M. Saggaf and E. A. Robinson	5	1660
Abbott, R. E., Depth to bedrock using gravimetry in the Reno and Carson City, Nevada, area basins	2	340
Abdelrahman, E. M., Shape and depth solutions from magnetic data using a parametric relationship	1	126
Acoustic crosswell imaging using asymptotic waveforms, H. Keers, L. R. Johnson, and D. W. Vasco	5	1569
Adair, R., see Salisbury, M. H.	6	1882
Adam, E., see Milkereit, B.	6	1890
Advanced inversion methods for airborne electromagnetic exploration, K.-P. Sengpiel and B. Siemon	6	1983
Airborne geophysical surveying for hazardous waste site characterization on the Oak Ridge Reservation, Tennessee, W. E. Doll, J. E. Nyquist, L. P. Beard, and T. J. Gamey	5	1372
Airborne resistivity and susceptibility mapping in magnetically polarizable areas, H. Huang and D. C. Fraser	2	502
Alkhalifah, T., An acoustic wave equation for anisotropic media	4	1239
Alkhalifah, T., Prestack phase-shift migration of separate offsets	4	1179
Alkhalifah, T., see Al-Dajani, A.	1	222
Alkhalifah, T., The offset-midpoint traveltime pyramid in transversely isotropic media	4	1316
Allen, P. M., see Dunbar, J. A.	3	994
Alumbaugh, D. L., Image appraisal for 2-D and 3-D electromagnetic inversion	5	1455
Alumbaugh, D. L., see Zhang, Z.	2	492
An acoustic wave equation for anisotropic media, T. Alkhalifah	4	1239
An approach to upscaling for seismic waves in statistically isotropic heterogeneous elastic media, N. Gold, S. A. Shapiro, S. Bojinski, and T. M. Müller	6	1837
An efficient data-subspace inversion method for two-dimensional magnetotelluric data, W. Siripunvaraporn and G. Egbert	3	791
An efficient method for calculating finite-difference seismograms after model alterations, J. O. A. Robertsson and C. H. Chapman	3	907
An overlooked aspect of the parabolic Radon transform, E. Maeland	4	1326
Analysis and removal of multiply scattered tube waves, G. C. Herman, P. A. Milligan, Q. Dong, J. W. Rector	3	745
Analytic study of the geometrical spreading of P-waves in a layered transversely isotropic medium with a vertical symmetry axis, H. Zhou and G. A. McMechan	4	1305
Anisotropic approximations for mudrocks: A seismic laboratory study, M. Jakobsen and T. A. Johansen	6	1711
Anisotropic effects on full and partial stacks, H. Chen and J. P. Castagna	4	1028
Annan, A. P., see Smith, R. S.	5	1489
Announcements	3	1015
	4	1346
	5	1694
Application of 3-D siesmic to mine planning at Vaal Reefs gold mine, number 10 shaft, Republic of South Africa, C. C. Pretorius, W. F. Trewick, A. Fourie, and C. Irons	6	1862
Application of gravity and magnetic methods to assess geological hazards and natural resource potential in the Mosida Hills, Utah County, Utah, A. K. Benson and A. R. Floyd	5	1514
Application of vertical radar profiling technique to Sendai Castle, H. Zhou and M. Sato	2	533
Approaches to defining reservoir physical properties from 3-D seismic attributes with limited well control: An example from the Jurassic Smackover Formation, Alabama, B. S. Hart and R. S. Balch	2	368

	Issue	Page
Approximate dispersion relations for qP– qS – qSV-waves in transversely isotropic media, M. A. Schoenberg and M. V. de Hoop	3	919
Arns, C., see Zhang, Y.	1	46
Arntsen, B., A new insight into the reciprocity principle	5	1604
Ascough, G., see Salisbury, M. H.	6	1882
Asten, M., Introduction	6	1851
Asten, Michael, Guest Editor, This Issue of Geophysics (Special Section)	6	1706
Automatic 1-D inversion of magnetotelluric data: Finding the simplest possible model that fits the data, L. B. Pedersen and M. Gharibi	3	773
Bachrach, R., Seismic velocities and Poisson's ratio of shallow unconsolidated sands	2	559
Bahr, K., see Stoll, J. B.	5	1495
Bakulin, A., Estimation of fracture parameters from reflection seismic data—Part III: Fractured models with monoclinic symmetry	6	1818
Bakulin, A., Estimation of fracture parameters from reflection seismic data—Part I: HTI model due to a single fracture set	6	1788
Bakulin, A., Estimation of fracture parameters from reflection seismic data—Part II: Fractured models with orthorhombic symmetry	6	1803
Balch, R. S., see Hart, B. S.	2	368
Balch, S. J., see Smith, R. S.	2	476
Barbosa, V. C. F. see Silva, J. B. C.	1	102
Barnes, A. E., Weighted average seismic attributes	1	275
Barnes, C., see Komatitsch, D.	4	1251
Barnes, C., see Komatitsch, D.	2	623
Baumann, C. E., Electric field of a horizontal antenna above a homogeneous half-space: Implications for GPR	3	823
Beard, L. P., see Doll, W. E.	5	1372
Benson, A. K., Application of gravity and magnetic methods to assess geological hazards and natural resource potential in the Mosida Hills, Utah County	5	1514
Beresford, G., see Dunne, J. C.	1	35
Berrer, E. K., see Milkereit, B.	6	1890
Berrer, E., see White, D.	6	1871
Bertelli, L., see Poletto, F.	5	1654
Bickel, S. H., Focusing aspects of the hyperbolic Radon transform	2	652
Boerner, D. E., see Lehmann, F.	5	1542
Boerner, D., see White, D.	6	1871
Bojinski, S. see Gold, N.	6	1837
Borsaru, M., see Charbucinski, J.	6	1970
Bottom-simulating reflectors: Seismic velocities and AVO effects, J. M. Carcione and U. Tinivella	1	54
Brown, R. J., see Slawinski, M. A.	2	632
Büker, F., 3-D high-resolution reflection seismic imaging of unconsolidated glacial and glaciolacustrine sediments: Processing and interpretation	1	18
Burkhart, T., Time-lapse (4-D) seismic monitoring of primary production of turbidite reservoirs at South Timbalier Block 295, offshore Louisiana, Gulf of Mexico	2	351
Calendar	3	1013
	4	1345
Calvert, A. J., see Fullagar, P. F.	6	1920
Camacho, A. G., Gravity inversion by means of growing bodies	1	95
Cambois, G., see Jin, S.	5	1446
Camerlynck, C. see Dabas, M.	2	526
Can we quantitatively image complex structures with rays?, M. S. Operto, S. Xu, and G. Lambaré	4	1223
Canales, L., see Chen G.	5	1631
Capillarity-induced resonance of oil blobs in capillary tubes and porous media, M. Hilpert, G. H. Jirka, and E. J. Plate	3	874
Carcione, J. M., 3-D ground-penetrating radar simulation and plane-wave theory in anisotropic media	5	1527
Carcione, J. M., see Arntsen, B.	5	1604
Carcione, J. M., Gas generation and overpressure: Effects on seismic attributes	6	1769
Carcione, J. M., Bottom-simulating reflectors: Seismic velocities and AVO effects	1	54
Carcione, J. M., GPR modeling study in a contaminated area of Krzywa Air Base (Poland)	2	521
Carcione, J. M., Sound velocity of drilling mud saturated with reservoir gas	2	646
Carcione, J. M., A model for seismic velocity and attenuation in petroleum source rocks	4	1080
Castagna, J. P., see Chen, H.	4	1028
Chamalaun, F. H., see Rigoti, A.	2	553
Chapman, C. H., see Robertsson, J. O. A.	3	907
Chapman, C. H., see Robertsson, J. O. A.	3	896
Charbonneau, B. W., see Shives, R. B. K.	6	2001
Charbucinski, J., Ultralow-radiation-intensity spectrometric probe for orebody delineation and grade control of zinc-lead ore	6	1970
Checkles, S., see Sun, Y.	5	1592
Chen, G., Rapid VSP-CDP mapping of 3-D VSP data	5	1631
Chen, H., Anisotropic effects on full and partial stacks	4	1028
Cheng, C. H., see Sun, X.	3	755
Chinh, P. D., Electrical properties of sedimentary rocks having interconnected water-saturated pore spaces	4	1093
Chunduru, R. K., see Zhang, Z.	1	76
Chung, S., see Minn, D. -J.	3	884
Clippard, J. E., see Hawman, R. B.	5	1388
Clowes, R. M., see Roy, B.	5	1418
Color display of the localized spectrum, S. Theophanis and J. Queen	4	1330
Color-encoding multifrequency acoustic data for near-bottom studies, J. A. Dunbar, P. M. Allen, and P. D. Higley	3	994
Compressional-wave velocities in attenuating media: A laboratory physical model study, J. B. Molyneux and D. R. Schmitt	4	1162

	Issue	Page
Constable, S. C., see Hoversten, G. M.	5	1476
Constrained inversion of seismic refraction data using the controlled random search, D. N. Smith and J. F. Ferguson	5	1622
Contributors	1	330
	2	688
	3	1017
	4	1348
	5	1696
	6	2021
Crosshole seismic imaging for sulfide orebody delineation near Sudbury, Ontario, Canada, J. Wong	6	1900
Crustal modeling from spectrally correlated free-air and terrain gravity data—A case study of Ohio, J. W. Kim, R. R. B. von Frese, and H. R. Kim	4	1057
Cruz, J. C. R., The common reflecting element (CRE) method revisited	3	979
CSAMT exploration at Sellafield: Characterization of a potential radioactive waste disposal site, M. J. Unsworth, X. Lu, and M. D. Watts	4	1070
Dabas, M., Simultaneous use of electrostatic quadrupole and GPR in urban context: Investigation of the basement of the Cathedral of Girona (Catalunya, Spain)	2	526
Daily, W., Electrical imaging of engineered hydraulic barriers	1	83
Das, U. C., see Sykes, M. P.	6	1758
de Groot-Hedlin, C. D., Smooth inversion of induction logs for conductivity models with mud filtrate invasion	5	1468
de Hoop, M. V., see Schoenberg, M. A.	3	919
Deconvolving the ghost effect of the water surface in marine seismics, S. K. Ghosh	6	1831
Dellinger, J. A., Efficient 2.5-D true-amplitude migration	3	943
Dellinger, J. A., see Duquet, B.	4	1195
Depth to bedrock using gravimetry in the Reno and Carson City, Nevada, area basins, R. E. Abbott and J. N. Louie	2	340
Detection of seismic refraction signals using variance fractal dimension technique, L. Jiao and W. M. Moon	1	286
Determining bed boundaries from inversion of EM logging data using general measures of model structure and data misfit, Z. Zhang, R. K. Chunduru, and M. A. Jervis	1	76
Development of 3-D seismic exploration technology for deep nickel-copper deposits—A case history from the Sudbury basin, Canada, B. Milkereit, E. K. Berrer, A. R. King, A. H. Watts, B. Roberts, E. Adam, D. W. Eaton, J. Wu, and M. H. Salisbury	6	1890
Developments in a model to describe low-frequency electrical polarization of rocks, C. A. Dias	2	437
Dias, C. A., Developments in a model to describe low-frequency electrical polarization of rocks	2	437
Dip selective 2-D multiple attenuation in the plane-wave domain, F. Liu, M. K. Sen, and P. L. Stoffa	1	264
Dipole dispersion crossover and sonic logs in a limestone reservoir, B. K. Sinha, M. R. Kane, and B. Frignet	2	390
Directional filtering for linear feature enhancement in geophysical maps, M. P. Sykes and U. C. Das	6	1758
Discussions	1	328
	2	682
Dmitriev, V. I., see Zhdanov, M. S.	6	1746
Doll, W. E., Airborne geophysical surveying for hazardous waste site characterization on the Oak Ridge Reservation, Tennessee	5	1372
Dong, Q., see Herman, G. C.	3	745
Dorman, J., see Zhu, J.	3	934
Doughty, C., see Vasco, D. W.	1	132
Drijkoningen, G. G., The usefulness of geophone ground-coupling experiments to seismic data	6	1780
Drill-bit signal separation for RVSP using statistical independence, F. Poletto, F. L. Rocca, and L. Bertelli	5	1654
Drummond, B. J., Seismic reflection imaging of mineral systems: Three case histories	6	1852
Druskin, V. L., see Torres-Verdin, C.	6	1733
Duijndam, A. J. W., see Hindriks, K.	1	253
Dunbar, J. A., Color-encoding multifrequency acoustic data for near-bottom studies	3	994
Dunne, J. C., Guidelines for building a detailed elastic depth model	1	35
Duquet, B., Kirchhoff modeling, inversion for reflectivity, and subsurface illumination	4	1195
Dvorkin, J., see Ecker, C.	2	565
Dvorkin, J., see Bachrach, R.	2	559
Eaton, D. W., see Milkereit, B.	6	1890
Eaton, D. W., see Salisbury, M. H.	6	1882
Ecker, C., Estimating the amount of gas hydrate and free gas from marine seismic	2	565
Effective AVO crossplot modeling: A tutorial, C. P. Ross	3	700
Effects of the equatorial electrojet on aeromagnetic data acquisition, A. Rigoti, A. L. Padilha, F. H. Chamalaun, and N. B. Trivedi	2	553
Efficient 2.5-D true-amplitude migration, J. A. Dellinger, S. H. Gray, G. E. Murphy, and J. T. Etgen	3	943
Egbert, G., see Siripunvaraporn, W.	3	791
Electric field of a horizontal antenna above a homogeneous half-space: Implications for GPR, C. E. Baumann and E. E. S. Sampaio	3	823
Electrical imaging of engineered hydraulic barriers, W. Daily and A. L. Ramirez	1	83
Electrical impedance variation with water saturation in rock, Q. Su, Q. Feng, and Z. Shang	1	68
Electrical properties of sedimentary rocks having interconnected water-saturated pore spaces, P. D. Chinh	4	1093
Electromagnetic inversion using quasi-linear approximation, M. S. Zhdanov, S. Fang, and G. Hursán	5	1501
Errata	2	687
	5	1691
	6	2018
Estimating the amount of gas hydrate and free gas from marine seismic, C. Ecker, J. Dvorkin, and A. M. Nur	2	565
Estimation of fracture parameters from reflection seismic data—Part II: Fractured models with orthorhombic symmetry, A. Bakulin, V. Grechka, and I. Tsvankin	6	1803
Estimation of fracture parameters from reflection seismic data—Part I: HTI model due to a single fracture set, A. Bakulin, V. Grechka, and I. Tsvankin	6	1788

	Issue	Page
Estimation of fracture parameters from reflection seismic data—Part III: Fractured models with monoclinic symmetry, A. Bakulin, V. Grechka, and I. Tsvankin	6	1818
Etgen, J. T., see Dellinger, J. A.	3	943
Euler deconvolution of gravity tensor gradient data, C. Zhang, M. F. Mushayandebvu, A. B. Reid, J. D. Fairhead, and M. E. Odegard	2	512
Explicit analytic expression for normal moveout from horizontal and dipping reflectors in weakly anisotropic media of arbitrary symmetry type, P. N. J. Rasolofosaon	4	1294
Exploration geophysics at the Pyhäsalmi mine and grade control work of the Outokumpu Group, A. Hattula and T. Rekola	6	1961
Fairhead, J. A., see Zhang, C.	2	512
Falk, J., see Groenenboom, J.	2	612
Fang, S., see Zhdanov, M. S.	6	1746
Fang, S., see Zhdanov, M. S.	5	1501
Fault whispers: Transmission distortions on prestack seismic reflection data, P. J. Hatchell	2	377
Feng, Q., see Su, Q.	1	68
Ferguson, J. F., see Smith, D. N.	5	1622
Flemings, P. B., see Burkhart, T.	2	351
Floyd, A. R., see Benson, A. K.	5	1514
Focusing aspects of the hyperbolic Radon transform, S. H. Bickel	2	652
Ford, K. L., see Shives, R. B. K.,	6	2001
Fourie, A., see Pretorius, C. C.	6	1862
Fradelizio, G. L., see Mazzotti, A. P.	5	1402
Fraser, D. C., see Huang, H.	2	502
Frazer, L. N., see Sun, X.	3	755
Freixas i Camps, P., see Dabas, M.	2	526
Fresnel zones and spatial resolution for P- and SH-waves in transversely isotropic media, P. N. Okoye and N. F. Uren	4	1168
Frignet, B., see Sinha, B. K.	2	390
Fu, L.-F., Infinite boundary element absorbing boundary for wave propagation simulations	2	596
Fullagar, P. F., Radio tomography and borehole radar delineation of the McConnell nickel sulfide deposit, Sudbury, Ontario, Canada	6	1920
Gamey, T. J., see Doll, W. E.	5	1372
Gangi, A. F., see Carcione, J. M.	6	1769
García-Abdeslem, J., 2-D inversion of gravity data using sources laterally bounded by continuous surfaces and depth-dependent density	4	1128
Gas generation and overpressure: Effects on seismic attributes, J. M. Carcione and A. F. Gangi	6	1769
Gharibi, M., see Pedersen, L. B.	3	773
Ghiglia, D. C., see Romero, L. A.	2	426
Ghosh, S. K., Limitations on impedance inversion of band-limited reflection data	3	951
Ghosh., S. K., Deconvolving the ghost effect of the water surface in marine seismics	6	1831
Gibson, Jr., R. L., Physical and numerical modeling of tuning and diffraction in azimuthally anisotropic media	5	1613
Gladwin, M., see Charbucinski, J.	6	1970
Global nonlinear inversion of transient EM data from conducting surroundings using a free-space plate model, S. P. Sharma and P. Kaikkonen	3	783
Gochioco, L. M., High-resolution 3-D seismic survey over a coal mine reserve area in the U. S.—A case study	3	712
Gold, N., An approach to upscaling for seismic waves in statistically isotropic heterogeneous elastic media	6	1837
Goleby, B. R., see Drummond, B. J.	6	1852
GPR imaging using the generalized Radon transform, T. Wang and M. L. Oristaglio	5	1553
GPR modeling study in a contaminated area of Krzywa Air Base (Poland), J. M. Carcione, H. Marcak, G. Seriani, and G. Padoan	2	521
Gravity inversion by means of growing bodies, A. G. Camacho, F. G. Montesinos, and R. Vieira	1	95
Gravity inversion using convexity constraint, J. B. C. Silva, W. E. Medeiros, and V. C. F. Barbosa	1	102
Gray, S. H., see Dellinger, J. A.	3	943
Grechka, V., Inversion of azimuthally dependent NMO velocity in transversely isotropic media with a tilted axis of symmetry	1	232
Grechka, V., see Bakulin A.	6	1818
Grechka, V. see Bakulin, V.	6	1803
Grechka, V., see Bakulin, A.	6	1788
Green, A. G., see Herwanger, J.	3	849
Green, A. G., see Lehmann, F.	5	1542
Green, A. G., see Büker, F.	1	18
Green, A. G., see Lehmann, F.	3	836
Greenhalgh, S. A., In-mine seismic delineation of mineralization and rock structure	6	1908
Green's functions for migration: Continuous recording geometry, G. T. Schuster and J. Hu	1	167
Groenenboom, J., Monitoring hydraulic fracture growth: Laboratory experiments	2	603
Groenenboom, J., Scattering by hydraulic fractures: Finite-difference modeling and laboratory data	2	612
Guidelines for building a detailed elastic depth model, J. C. Dunne, G. Beresford, and B. L. N. Kennett	1	35
Gülünay, N., Noncausal spatial prediction filtering for random noise reduction on 3-D poststack data	5	1641
Guspí, F., A sparse spectrum technique for gridding and separating potential-field anomalies	4	1154
Hage, T. B., see Leggatt, P. B.	6	1976
Hannila, J., see White, D.	6	1871
Hart, B. S., Approaches to defining reservoir physical properties from 3-D seismic attributes with limited well control: An example from the Jurassic Smackover Formation, Alabama	2	368
Hasanein, H. I., see Abdelrahman, E. M.	1	126
Hatchell, P. J., Fault whispers: Transmission distortions on prestack seismic reflection data	2	377

	Issue	Page
Hattula, A., Exploration geophysics at the Pyhäsalmi mine and grade control work of the Outokumpu Group	6	1961
Haugen, G. U., The echo of a fault or fracture	1	176
Hawman, R. B., Shallow seismic reflection profiling over the Brevard zone, South Carolina	5	1388
Herman, G. C., Imaging shallow object and heterogeneities with scattered guided waves	1	247
Herman, P. A., Analysis and removal of multiply scattered tube waves	3	745
Herwanger, J., 3-D inversions of magnetic gradiometer data in archeological prospecting: Possibilities and limitations	3	849
High-resolution 3-D seismic survey over a coal mine reserve area in the U. S.—A case study, L. M. Gochioco	3	712
Higley, P. D., see Dunbar, J. A.	3	994
Hilpert, M., Capillarity-induced resonance of oil blobs in capillary tubes and porous media	3	874
Hindriks, K., Reconstruction of 3-D seismic signals irregularly sampled along two spatial coordinates	1	253
Höcht, G., see Cruz, J. C. R.	3	979
Hokstad, K., Multicomponent Kirchhoff migration	3	861
Holliger, K., see Lehmann, F.	5	1542
Hoop, M. V. de, see Neves, F. A.	1	158
Hoover, A. R., see Burkhart, T.	2	351
Hördt, A., Understanding LOTEN data from mountainous terrain	4	1113
Horstmeyer, H., see Büker, F.	1	18
Hoversten, G. M., Marine magnetotellurics for base-of-salt mapping: Gulf of Mexico field test at the Gemini structure	5	1476
Hu, J., see Schuster, T.	1	167
Huang, H., Airborne resistivity and susceptibility mapping in magnetically polarizable areas	2	502
Hubral, P., see Cruz, J. C. R.	3	979
Hubral, P., see Santos, L. T.	4	1281
Huggins, R. J., see Herman, G. C.	1	247
Hursán, G., see Zhdanov, M. S.	6	1746
Hursán, G., see Zhdanov, M. S.	5	1501
Image appraisal for 2-D and 3-D electromagnetic inversion, D. L. Alumbaugh and G. A. Newman	5	1455
Imaging shallow object and heterogeneities with scattered guided waves, G. C. Herman, P. A. Milligan, R. J. Huggins, and J. W. Rector	1	247
Improved frequency-domain elastic wave modeling using weighted-averaging difference operators, D. -J. Min, C. Shin, B. -D. Kwon, and S. Chung	3	884
In-mine seismic delineation of mineralization and rock structure, S. A. Greenhalgh, I. M. Mason, and C. Sinadinovski	6	1908
Incorporating geological dip information into geophysical inversions, Y. Li and D. W. Oldenburg	1	148
Index to Volume 65	6	2030
Infinite boundary element absorbing boundary for wave propagation simulations, L.-Y. Fu and R.-S. Wu	2	596
Instructions to Authors	1	1
Intellectual Property	1	321
	2	668
	3	1003
	5	1677
	6	2012
Interpretation of reflection attributes in a 3-D GPR survey at Vallée d'Ossau, western Pyrenees, France, P. Sénéchal, H. Perroud, and G. Sénéchal	5	1435
Introcaso, B., see Guspí, F.	4	1154
Inversion of azimuthally dependent NMO velocity in transversely isotropic media with a tilted axis of symmetry, V. Grechka and I. Tsvankin	1	232
Inversion of controlled-source tensor magnetotelluric data for a layered earth with azimuthal anisotropy, X. Li, B. Oskooi, and L. B. Pedersen	2	452
Irons, C., see Pretorius, C. C.	6	1862
Jackson, J. K., see Drummond, B. J.	6	1852
Jakobsen, M., Anisotropic approximations for mudrocks: A seismic laboratory study	6	1711
Jarvis, K. D., Near-surface VSP surveys using the seismic cone penetrometer	4	1048
Jayawardhana, P. M., The use of airborne gamma ray spectrometry—A case study from the Mount Isa inlier, northwest Queensland, Australia	6	1993
Jervis M. A., see Zhang, Z.	1	76
Jiao, L., Detection of seismic refraction signals using variance fractal dimension technique	1	286
Jin, S., Shear-wave velocity and density estimation from PS-wave AVO analysis: Application to an OBS dataset from the North Sea	5	1446
Jirka, G. H., see Hilpert, M.	3	874
Johansen, T. A., see Jakobsen, M.	6	1711
Johnson, L. R., see Keers, H.	5	1569
Joint inversion of surface and three-component borehole magnetic data, Y. Li and D. W. Oldenburg	2	540
Jol, H., see Tercier, P.	4	1142
Jutten, C., see van der Bann, M.	4	1032
Kabir, M. M. N., A constrained parametric inversion for velocity analysis based on the CFP technology	4	1210
Kaikkonen, P., see Sharma, S. P.	3	783
Kane, M. R., see Sinha, B. K.	2	390
Karasaki, K., see Vasco, D. W.	1	132
Keers, H., Acoustic crosswell imaging using asymptotic waveforms	5	1569
Kelamis, P. G., Surface-related multiple elimination on land seismic data—Strategies via case studies	3	719
Kendall, J. M., see Raymer, D. G.	4	1272
Kennett, B. L. N., see Dunne, J. C.	1	35
Kim, H. R., see Kim, J. W.	4	1057
Kim, J. W., Crustal modeling from spectrally correlated free-air and terrain gravity data—A case study of Ohio	4	1057
King, A. R., see Milkereit, B.	6	1890
Kirchhoff modeling, inversion for reflectivity, and subsurface illumination, B. Duquet, K. J. Marfurt, and J. A. Dellinger	4	1195

	Issue	Page
Kirlin, R. L., see Marfurt, K. J.	1	304
Klinkert, P. S., see Leggatt, P. B.	6	1976
Knight, R., see Jarvis, K. D.	4	1048
Knight, R., see Tercier, P.	4	1142
Knizhnerman, L. A., see Torres-Verdin, C.	6	1733
Komatitsch, D., Simulation of anisotropic wave propagation based upon a spectral element method	4	1251
Komatitsch, D., Wave propagation near a fluid-solid interface: A spectral element approach	2	623
Küntz, M., Numerical estimation of electrical conductivity in saturated porous media with a 2-D lattice gas	3	766
Kwon, B. -D., see Minn, D. -J.	3	884
Lambaré, G., see Operto, M. S.	4	1223
Lavallée, P., see Kuntz, M.	3	766
Least-squares DMO and migration, S. Ronen and C. L. Liner	5	1364
Leckebusch, J., see Herwanger, J.	3	849
Leggatt, P. B., The Spectrem airborne electromagnetic system – Further developments	6	1976
Lehmann, F., Multicomponent georadar data: Some important implications for data acquisition and processing	5	1542
Lehmann, F., Topographic migration of georadar data: Implications for acquisition and processing	3	836
Leveille, J. P., see Sun, Y.	5	1592
Li, J., see Xie, G.	3	804
Li, X., Inversion of controlled-source tensor magnetotelluric data for a layered earth with azimuthal anisotropy	2	452
Li, Y., 3-D inversion of induced polarization data	6	1931
Li, Y., Incorporating geological dip information into geophysical inversions	1	148
Li, Y., Joint inversion of surface and three-component borehole magnetic data	2	540
Limitations on impedance inversion of band-limited reflection data, S. K. Ghosh	3	951
Limited-aperture migration, J. Sun	2	584
Liner, C. L., see Ronen, S.	5	1364
Liu, F., Dip selective 2-D multiple attenuation in the plane-wave domain	1	264
Liu, Q. -H., Multiple acoustic waveforms in fluid-filled boreholes in biaxially stressed formations: A finite-difference method	1	190
Livelybrooks, D. W., see Fullagar, P. F.	6	1920
Loewenthal, D., On unified dual fields and Einstein deconvolution	1	293
Louie, J. N., see Abbott, R. E.	2	340
Lu, X., see Unsworth, M. J.	4	1070
Lucas, S., see White, D.	6	1871
Maeland, E., An overlooked aspect of the parabolic Radon transform	4	1326
Majer, E. L., see Xie, G.	3	804
Malinverno, A., see Torres-Verdin, C.	6	1733
Manuscripts Submitted to the Editor	1	324
	2	679
	3	1010
	4	1341
	5	1690
	6	2017
Mapping of elastic properties of gas hydrates in the Carolina trough by waveform inversion, G. Xia, M. K. Sen, and P. L. Stoffa	3	735
Marcak, H., see Carcione, J. M.	2	521
Mareschal, J. C., see Kuntz, M.	3	766
Marfurt, K. J., see Duquet, B.	4	1195
Marfurt, K. J., 3-D broad-band estimates of reflector dip and amplitude	1	304
Marine magnetotellurics for base-of-salt mapping: Gulf of Mexico field test at the Gemini structure, G. M. Hoversten, S. C. Constable, and H. F. Morrison	5	1476
Mason, I. M., see Greenhalgh, S. A.	6	1908
Matthews, L., see Salisbury, M. H.	6	1882
Maurer, H., see Herwanger, J.	3	849
Mazzotti, A. P., Seismic exploration in complex terrains: A processing experience in the Southern Apennines	5	1402
McMechan, G. A., see Ramos-Martinez, J.	1	211
McMechan, G. A., see Zeng, X.	1	113
McMechan, G. A., see Ortega, A.	4	1261
McMechan, G. A., see Zhou, H.	4	1305
McMechan, G. A., see Zhou, H.	2	638
Medeiros, W. E., see Silva, J. B. C.	1	102
Mikhailov, O. V., Using borehole electroseismic measurements to detect and characterize fractured (permeable) zones	4	1098
Milkereit, B., Development of 3-D seismic exploration technology for deep nickel-copper deposits—A case history from the Sudbury basin, Canada	6	1890
Milkereit, B., see Salisbury, M. H.	6	1882
Milligan, P. A., see Herman, G. C.	1	247
Milligan, P. A., see Herman, G. C.	3	745
Min, D. -J., Improved frequency-domain elastic wave modeling using weighted-averaging difference operators	3	884
Mineral exploration in the Thompson nickel belt, Manitoba, Canada, using seismic and controlled-source EM methods, D. White, D. Boerner, J. Wu. S. Lucas, E. Berrer, J. Hannila, and R. Somerville	6	1871
Mining geophysics introduction, M. Asten	6	1851
Mitsuhata, Y., 2-D electromagnetic modeling by finite-element method with a dipole source and topography	2	465
Modulus-porosity relations, Gassmann's equations, and the low-frequency elastic-wave response to fluids, R. C. Nolen-Hoeksema	5	1355
Molyneux, J. B., Compressional-wave velocities in attenuating media: A laboratory physical model study	4	1162
Monitoring hydraulic fracture growth: Laboratory experiments, J. Groenenboom and D. B. van Dam	2	603
Montesinos, F. G., see Camacho, A. G.	1	95
Moon, W. M., see Jiao, L.	1	286

	Issue	Page
Morrison, H. F., see Hoversten, G. M.	5	1476
Morton, S. A., see Romero, L. A.	2	426
Müller, M., see Hördt, A.	4	1113
Müller, T. M., see Gold, N.	6	1837
Multicomponent georadar data: Some important implications for data acquisition and processing, F. Lehmann, D. E. Boerner, K. Holliger, and A. G. Green	5	1542
Multicomponent Kirchhoff migration, K. Hokstad	3	861
Multiple acoustic waveforms in fluid-filled boreholes in biaxially stressed formations: A finite-difference method, Q. - H. Liu and B. K. Sinha	1	190
Murphy, G. E., see Dellinger, J. A.	3	943
Mushayandebvu, M. F., see Zhang, C.	2	512
Mutton, A. J., The application of geophysics during evaluation of the Century zinc deposit	6	1946
Mwenifumbo, J., see Salisbury, M. H.	6	1882
Near-surface VSP surveys using the seismic cone penetrometer, K. D. Jarvis and R. Knight	4	1048
Nemeth, H., Separation of signal and coherent noise by migration filtering	2	574
Neves, F. A., Some remarks on nonlinear amplitude versus angle-azimuth inversion in anisotropic media	1	158
Newman, G. A., see Zhang, Z.	2	492
Newman, G. A., see Alumbaugh, D. L.	5	1455
Nolen-Hoeksema, R. C., Modulus-porosity relations, Gassmann's equations, and the low-frequency elastic-wave response to fluids	5	1355
Noncausal spatial prediction filtering for random noise reduction on 3-D poststack data, N. Gülünay	5	1641
Numerical estimation of electrical conductivity in saturated porous media with a 2-D lattice gas, M. Küntz, J. C. Mareschal, and P. Lavallée	3	766
Nur, A. M., see Ecker, C.	2	565
Nur, A. M., see Bachrach, R.	2	559
Nyquist, J. E., see Doll, W. E.	5	1372
Ober, C. C., see Romero, L. A.	2	426
Odegard, M. E., see Zhang, C.	2	512
Okoye, P. N., Fresnel zones and spatial resolution for P- and SH-waves in transversely isotropic media	4	1168
Oldenburg, D. W., see Li, Y.	1	148
Oldenburg, D. W., see Li, Y.	6	1931
Oldenburg, D. W., see Li, Y.	2	540
Oldenburg, D. W., see Zhang, Z.	2	492
On the use of neural networks in geophysical applications, M. van der Baan and C. Jutten	4	1032
On unified dual fields and Einstein deconvolution, D. Loewenthal and E. A. Robinson	1	293
Operto, M. S., Can we quantitatively image complex structures with rays?	4	1223
Optimization of signal-to-noise ratio in dc soundings, J. B. Stoll and K. Bahr	5	1495
Oristaglio, M. L., see Wang, T.	5	1553
Oristaglio, M. L., see Wang, T.	5	1560
Oristaglio, M. L., see Xie, G.	3	804
Ortega, A. A., see Ramos-Martinez, J.	1	211
Ortega, A., Synthesis of multicomponent quasi P and converted quasi P-S seismograms for intersecting fracture systems	4	1261
Oskooi, B., see Li, X.	2	452
Owen, A. J., see Drummond, B. J.	6	1852
P- and S-wave attenuation logs from monopole sonic data, X. Sun, X. Tang, C. H. Cheng, and L. N. Frazer	3	755
Padilha, A. L., see Rigoti, A.	2	553
Padoan, G., see Carcione, J. M.	2	521
Palmer, D., The measurement of weak anisotropy with the generalized reciprocal method	5	1583
Papers from Other Journals	1 2 3 4 5 6	325 680 1012 1343 1692 2019
Parkin, J. M., see Slawinski, M. A.	2	632
Parra, J. O., Poroelastic model to relate seismic wave attenuation and dispersion to permeability anisotropy	1	202
Paul, A., see van der Baan, M.	2	656
Pedersen, L. B., see Li, X.	2	452
Pedersen, L. B., Automatic 1-D inversion of magnetotelluric data: Finding the simplest possible model that fits the data	3	773
Permeability evaluation in a glauconite-rich formation in the Carnarvon Basin, Western Australia, Y. Zhang, H. A. Salisch, C. Arns	1	46
Peron, J., see Chen, G.	5	1631
Perroud, H., see Sénéchal, P.	5	1435
Pflug, L. A., Principal domains of the trispectrum, signal bandwidth, and implications for deconvolution	3	958
Phase encoding of shot records in prestack migration, L. A. Romero, D. C. Ghiglia, C. C. Ober, and S. A. Morton	2	426
Physical and numerical modeling of tuning and diffraction in azimuthally anisotropic media, R. L. Gibson, Jr., S. Theophanis, and M. N. Toksöz	5	1613
Physical properties and seismic imaging of massive sulfides, M. H. Salisbury, B. Milkereit, G. Ascough, R. Adair, L. Matthews, D. R. Schmitt, J. Mwenifumbo, D. W. Eaton, and J. Wu	6	1882
Plate, E. J., see Hilpert, M.	3	874
Poletto, F., A blind interpretation of drill-bit signals	3	970
Poletto, F., Drill-bit signal separation for RVSP using statistical independence	5	1654
Poletto, F., see Carcione, J. M.	2	646
Poroelastic model to relate seismic wave attenuation and dispersion to permeability anisotropy, J. O. Parra	1	202
Potential field from a dc current source arbitrarily located in a nonuniform layered medium, H. K. Sato	6	1726
Predicting the seismic implications of salt anisotropy using numerical simulations of halite deformation, D. G. Raymer, A. Tommasi, and J. M. Kendall	4	1272
Prestack phase-shift migration of separate offsets, T. Alkhalifah	4	1179

	Issue	Page
Pretorius, C. C., Application of 3-D siesmic to mine planning at Vaal Reefs gold mine, number 10 shaft, Republic of South Africa	6	1862
Principal domains of the trispectrum, signal bandwidth, and implications for deconvolution, L. A. Pflug	3	958
Professional Directory	1	A-6
	2	A-6
	3	A-6
	4	A-6
	5	A-6
	6	A-6
Prosser, C. L., see Hawman, R. B.	5	1388
Qin, F., see Sun, Y.	5	1592
Quasi-analytical approximations and series in electromagnetic modeling, M. S. Zhdanov, V. I. Dmitriev, S. Fang, and G. Hursán	6	1746
Queen, J., see Theophanis, S.	4	1330
Queen, J., see Mikhailov, O. V.	4	1098
Radio tomography and borehole radar delineation of the McConnell nickel sulfide deposit, Sudbury, Ontario, Canada, P. K. Fullagar, D. W. Livelybrooks, P. Zhang, A. J. Calvert, and Y. Wu	6	1920
Ramirez, A. L., see Daily, W.	1	83
Ramos-Martinez, J., 3-D seismic modeling for cracked media: Shear-wave splitting at zero-offset	1	211
Rapid VSP-CDP mapping of 3-D VSP data, G. Chen, J. Peron, and L. Canales	5	1631
Rasolofosaon, P. N. J., Explicit analytic expression for normal moveout from horizontal and dipping reflectors in weakly anisotropic media of arbitrary symmetry type	4	1294
Raymer, D. G., Predicting the seismic implications of salt anisotropy using numerical simulations of halite deformation	4	1272
Recognition and reconstruction of coherent energy with application to deep seismic reflection data, M. van der Baan and A. Paul	2	656
Reconstruction of 1-D conductivity from dual-loop EM data, Z. Zhang, P. S. Routh, D. W. Oldenburg, D. L. Alumbaugh, and G. A. Newman	2	492
Reconstruction of 3-D seismic signals irregularly sampled along two spatial coordinates, K. Hindriks and A. J. W. Duijndam	1	253
Rector, J. W., see Herman, G. C.	1	247
Rector, J. W., see Herman, G. C.	3	745
Reflection moveout inversion for horizontal transverse isotropy: Accuracy, limitation, and acquisition, A. Al-Dajani and T. Alkhalifah	1	222
Reflection moveout inversion for horizontal transverse isotropy: Al-Dajani, A., Accuracy, limitation, and acquisition	1	222
Reid, A. B., see Zhang, C.	2	512
Rekola, T., see Hattula, A.	6	1961
Resistivity and induced polarization monitoring of salt transport under natural hydraulic gradients, L. D. Slater and S. K. Sandberg	2	408
Rigorous absorbing boundary conditions for 3-D one-way wave extrapolation, H. Zhou and G. A. McMechan	2	638
Rigoti, A., Effects of the equatorial electrojet on aeromagnetic data acquisition	2	553
Roberts, B., see Milkereit, B.	6	1890
Robertsson, J. O. A., An efficient method for calculating finite-difference seismograms after model alterations	3	907
Robertsson, J. O. A., A finite–difference injection approach to modeling seismic fluid flow monitoring	3	896
Robinson, E. A., see Loewenthal, D.	1	293
Robinson, E. A., see Saggaf, M. M.	5	1660
Robust estimation of the band-limited, inductive-limit response from impulse-response TEM measurements taken during the transmitter switch-off and the transmitter off-time: Theory and an example from Voisey's Bay, Labrador, Canada, R. S. Smith and S. J. Balch	2	476
Rocca, F. L., see Poletto, F.	5	1654
Romero, L. A., Phase encoding of shot records in prestack migration	2	426
Ronen, S., Least-squares DMO and migration	5	1364
Ross, C. P., Effective AVO crossplot modeling: A tutorial	3	700
Routh, P. S., see Zhang, Z.	2	492
Roy, B., Seismic and potential-field imaging of the Guichon Creek batholith, British Columbia, Canada, to delineate structures hosting porphyry copper deposits	5	1418
Ryan-Grigor, S., see Robertsson, J. O. A.	3	896
S. Fang, S., see Torres-Verdin, C.	6	1733
Saggaf, M. M., A unified framework for the deconvolution of traces of nonwhite reflectivity	5	1660
Salisbury, M. H., Physical properties and seismic imaging of massive sulfides	6	1882
Salisbury, M. H., see Milkereit, B.	6	1890
Salisch, H. A., see Zhang, Y.	1	46
Sampaio, E. E. S., see Baumann, C. E.	3	823
Sandberg, S. K., see Slater, L. D.	2	408
Santos, L. T., Seismic modeling by demigration	4	1281
Sato, H. K., Potential field from a dc current source arbitrarily located in a nonuniform layered medium	6	1726
Sato, M., see Zhou, H.	2	533
Sayers, C. M., see Robertsson, J. O. A.	3	896
Scales, J. A., The anatomy of inverse problems	6	1708
Scandone, P., see Mazzotti, A. P.	5	1402
Scattering by hydraulic fractures: Finite-difference modeling and laboratory data, J. Groenenboom and J. Falk	2	612
Schleicher, J., see Santos, L. T.	4	1281
Schleicher, J., see Cruz, J. C. R.	3	979
Schmitt, D. R., see Molyneux, J. B.	4	1162
Schmitt, D. R., see Salisbury, M. H.	6	1882
Schoenberg, M. A., Approximate dispersion relations for qP– qS – qSV-waves in transversely isotropic media	3	919
Schoenberg, M. A., see Haugen, G. U.	1	176
Schoenberg, M. A., see Carcione, J. M.	5	1527
Schuster, G. T., see Nemeth, H.	2	574

	Issue	Page
Schuster, G. T., Green's functions for migration: Continuous recording geometry	1	167
Seismic and potential-field imaging of the Guichon Creek batholith, British Columbia, Canada, to delineate structures hosting porphyry copper deposits, B. Roy and R. M. Clowes	5	1418
Seismic exploration in complex terrains: A processing experience in the Southern Apennines, A. P. Mazzotti, E. Stucchi, G. L. Fradelizio, L. Zanzi, and P. Scandone	5	1402
Seismic finite-difference modeling with spatially varying time steps, E. Tessmer	4	1290
Seismic modeling by demigration, L. T. Santos, J. Schleicher, M. Tygel, and P. Hubral	4	1281
Seismic reflection imaging of mineral systems: Three case histories, B. J. Drummond, B. R. Goleby, A. J. Owen, A. N. Yeates, C. Swager, Y. Zhang, and J. K. Jackson	6	1852
Seismic velocities and Poisson's ratio of shallow unconsolidated sands, R. Bachrach, J. Dvorkin, and A. M. Nur	2	559
Sen, M. K., see Liu, F.	1	264
Sen, M. K., see Xia, G.	3	735
Sénéchal, G., see Sénéchal, P.	5	1435
Sénéchal, P., Interpretation of reflection attributes in a 3-D GPR survey at Vallée d'Ossau, western Pyrenees, France	5	1435
Sengpiel, K.-P., Advanced inversion methods for airborne electromagnetic exploration	6	1983
Separation of signal and coherent noise by migration filtering, T. Nemeth, H. Sun, and G. T. Schuster	2	574
Seriani, G., see Carcione, J. M.	2	521
Shallow seismic reflection profiling over the Brevard zone, South Carolina, R. B. Hawman, C. L. Prosser, and J. E. Clippard	5	1388
Shang, Z., see Su, Q.	1	68
Shape and depth solutions from magnetic data using a parametric relationship, E. M. Abdelrahman and H. I. Hasanein	1	126
Shapiro, S. A., see Gold, N.	6	1837
Sharma, S. P., Global nonlinear inversion of transient EM data from conducting surroundings using a free-space plate model	3	783
Shear-wave velocity and density estimation from PS-wave AVO analysis: Application to an OBS dataset from the North Sea, S. Jin, G. Cambois, and C. A. Vuillermoz	5	1446
Sheard, S. N., see Jayawardhana, P. M.	6	1993
Shin, C., see Min, D. -J.	3	884
Shives, R. B. K., The detection of potassic alteration by gamma-ray spectrometry—Recognition of alteration related to mineralization	6	2001
Siemon, B., see Sengpiel, K.-P.	6	1983
Silva, J. B. C., Gravity inversion using convexity constraint	1	102
Simulation of anisotropic wave propagation based upon a spectral element method, D. Komatitsch, C. Barnes, and J. Tromp	4	1251
Simultaneous use of electrostatic quadrupole and GPR in urban context: Investigation of the basement of the Cathedral of Girona (Catalunya, Spain), M. Dabas, C. Camerlynck, and P. Freixas i Camps	2	526
Sinadinovski, C., see Greenhalgh, S. A.	6	1908
Sinha, B. K., Dipole dispersion crossover and sonic logs in a limestone reservoir	2	390
Sinha, B. K., Liu, Q. -H.	1	190
Siripunvaraporn, W., An efficient data-subspace inversion method for two-dimensional magnetotelluric data	3	791
Slater, L. D., Resistivity and induced polarization monitoring of salt transport under natural hydraulic gradients	2	408
Slawinski, M. A., A generalized form of Snell's law in anisotropic media	2	632
Slawinski, R. A., see Slawinski, M. A.	2	632
Smith, D. N., Constrained inversion of seismic refraction data using the controlled random search	5	1622
Smith, R. S., Using an induction coil sensor to indirectly measure the B-field response in the bandwidth of the transient electromagnetic method	5	1489
Smith, R. S., Robust estimation of the band-limited, inductive-limit response from impulse-response TEM measurements taken during the transmitter switch-off and the transmitter off-time: Theory and an example from Voisey's Bay, Labrador, Canada	2	476
Smith, R. S., The realizable resistive limit: A new concept for mapping geological features spanning a broad range of conductances	4	1124
Smooth inversion of induction logs for conductivity models with mud filtrate invasion, C. D. de Groot-Hedlin	5	1468
Snieder, R. see Scales, J. A.	6	1708
Some remarks on nonlinear amplitude versus angle-azimuth inversion in anisotropic media, F. A. Neves and M. V. de Hoop	1	158
Somerville, R., see White, D.	6	1871
Sound velocity of drilling mud saturated with reservoir gas, J. M. Carcione and F. Poletto	2	646
Stoffa, P. L., see Liu, F.	1	264
Stoffa, P. L., see Xia, G.	3	735
Stoll, J. B., Optimization of signal-to-noise ratio in dc soundings	5	1495
Stucchi, E., see Mazzotti, A. P.	5	1402
Su, Q., Electrical impedance variation with water saturation in rock	1	68
Sun, H., see Nemeth, H.	2	574
Sun, J., Limited-aperture migration	2	584
Sun, X., P- and S-wave attenuation logs from monopole sonic data	3	755
Sun, Y., 3-D prestack Kirchhoff beam migration for depth imaging	5	1592
Surface-related multiple elimination on land seismic data—Strategies via case studies, P. G. Kelamis and D. J. Verschuur	3	719
Swager, C., see Drummond, B. J.	6	1852
Sykes, M. P., Directional filtering for linear feature enhancement in geophysical maps	6	1758
Synthesis of amplitude-versus-offset variations in ground-penetrating radar data, X. Zeng, G. A. McMechan, and T. Xu	1	113
Synthesis of multicomponent quasi P and converted quasi P-S seismograms for intersecting fracture systems, A. A. Ortega and G. A. McMechan	4	1261

	Issue	Page
Tang, X., see Sun, X.	3	755
Tercier, P., A comparison of the correlation structure in GPR images of deltaic and barrier spit depositional environments	4	1142
Tessmer, E., Seismic finite-difference modeling with spatially varying time steps	4	1290
Teyssier, C., see Zeng, H.	2	421
The 3-D geometry of the Linglong granitic complex from 2-D gravity forward modeling, Shandong Province, east China, H. Zeng, T. Wan, C. Teyssier, C. Yao, and B. Tikoff	2	421
The anatomy of inverse problems, J. A. Scales and R. Snieder	6	1708
The application of geophysics during evaluation of the Century zinc deposit, A. J. Mutton	6	1946
The common reflecting element (CRE) method revisited, J. C. R. Cruz, P. Hubral, M. Tygel, J. Schleicher, and G. Höcht	3	979
The detection of potassic alteration by gamma-ray spectrometry—Recognition of alteration related to mineralization, R. B. K. Shives, B. W. Charbonneau, and K. L. Ford	6	2001
The echo of a fault or fracture, G. U. Haugen and M. A. Schoenberg	1	176
The measurement of weak anisotropy with the generalized reciprocal method, D. Palmer	5	1583
The offset-midpoint traveltime pyramid in transversely isotropic media, T. Alkhalifah	4	1316
The realizable resistive limit: A new concept for mapping geological features spanning a broad range of conductances, R. S. Smith	4	1124
The Spectrem airborne electromagnetic system—Further developments, P. B. Leggatt, P. S. Klinkert, and T. B. Hage	6	1976
The use of airborne gamma ray spectrometry—A case study from the Mount Isa inlier, northwest Queensland, Australia, P. M. Jayawardhana and S. N. Sheard	6	1993
The usefulness of geophone ground-coupling experiments to seismic data, G. G. Drijkoningen	6	1780
Theophanis, S., Color display of the localized spectrum	4	1330
Theophanis, S., see Gibson, Jr., R. L.	5	1613
This Issue of GEOPHYSICS, Christopher L. Liner, Editor	1	16
	2	337
	3	697
	4	1025
	5	1353
	6	1705
This Issue of GEOPHYSICS (Special Section), Michael Asten, Guest Editor	6	1706
Tikoff, B., see Zeng, H.	2	421
Time-lapse (4-D) seismic monitoring of primary production of turbidite reservoirs at South Timbalier Block 295, offshore Louisiana, Gulf of Mexico, T. Burkhart, A. R. Hoover, and P. B. Flemings	2	351
Tinivella, U., see Carcione, J. M.	1	54
Toksöz, M. N., see Gibons, Jr., R. L.	5	1613
Toksöz, M. N., see Mikhailov, O. V.	4	1098
Tommasi, A., see Raymer, D. G.	4	1272
Topographic migration of georadar data: Implications for acquisition and processing, F. Lehmann and A. G. Green	3	836
Torres-Verdín, C., A dual-grid nonlinear inversion technique with applications to the interpretation of dc resistivity data	6	1733
Trad, D. O., Wavelet filtering of magnetotelluric data	2	482
Travassos, J. M., see Trad, D. O.	2	482
Trewick, W. F., see Pretorius, C. C.	6	1862
Trivedi, N. B., see Rigoti, A.	2	553
Tromp, J., see Komatitsch, D.	2	623
Tromp, J., see Komatitsch, D.	4	1251
Tsvankin, I., see Bakulin A.	6	1818
Tsvankin, I., see Bakulin, V.	6	1803
Tsvankin, I., see Grechka, V.	1	232
Tsvankin, I., see Bakulin, A.	6	1788
Two-dimensional, three-component wave propagation in a transversely isotropic medium with arbitrary–orientation–finite-element modeling, J. Zhu and J. Dorman	3	934
Tygel, M., see Santos, L. T.	4	1281
Tygel, M., see Cruz, J. C. R.	3	979
Ultralow-radiation-intensity spectrometric probe for orebody delineation and grade control of zinc-lead ore, J. Charbucinski, M. Borsaru, and M. Gladwin	6	1970
Understanding LOTEN data from mountainous terrain, A. Hördt and M. Müller	4	1113
Unsworth, M. J., CSAMT exploration at Sellafield: Characterization of a potential radioactive waste disposal site	4	1070
Uren, N. F., see Okoye, P. N.	4	1168
Using an induction coil sensor to indirectly measure the B-field response in the bandwidth of the transient electromagnetic method, R. S. Smith and A. P. Annan	5	1489
Using borehole electroseismic measurements to detect and characterize fractured (permeable) zones, O. V. Mikhailov, J. Queen, and M. N. Toksöz	4	1098
Using surface deformation to image reservoir dynamics, D. W. Vasco, K. Karasaki, and C. Doughty	1	132
van Dam, D. B., see Groenenboom, J.	2	603
van der Baan, M., Recognition and reconstruction of coherent energy with application to deep seismic reflection data	2	656
van der Bann, M., On the use of neural networks in geophysical applications	4	1032
Vasco, D. W., see Keers H.	5	1569
Vasco, D. W., Using surface deformation to image reservoir dynamics, D. W. Vasco	1	132
Verschuur, D. J., see Kabir, M. M. N.	4	1210
Verschuur, D. J., see Kelamis, P. G.	3	719
Vieira, R., see Camacho, A. G.	1	95
von Frese, R. R. B., see Kim, J. W.	4	1057
Vuillermoz, C. A., see Jin, S.	5	1446
Wan, T., see Zeng, H.	2	421
Wang, T., 3-D simulation of GPR surveys over pipes in dispersive	5	1560
Wang, T., GPR imaging using the generalized Radon transform	5	1553
Watts, A. H., see Milkereit, B.	6	1890

	Issue	Page
Watts, M. D., see Unsworth, M. J.	4	1070
Wave propagation near a fluid-solid interface: A spectral element approach, D. Komatitsch, C. Barnes, and J. Tromp	2	623
Wavelet filtering of magnetotelluric data, D. O. Trad and J. M. Travassos	2	482
Weighted average seismic attributes, A. E. Barnes	1	275
White, D., Mineral exploration in the Thompson nickel belt, Manitoba, Canada, using seismic and controlled-source EM methods	6	1871
Wong, J., Crosshole seismic imaging for sulfide orebody delineation near Sudbury, Ontario, Canada	6	1900
Wu, J., see Milkereit, B.	6	1890
Wu, J., see Salisbury, M. H.	6	1882
Wu, R.-S., see Fu, L.-F.	2	596
Wu, Y., see Fullagar, P. F.	6	1920
Wu. J., see White, D.	6	1871
Xia, G., Mapping of elastic properties of gas hydrates in the Carolina trough by waveform inversion	3	735
Xie, G., 3-D electromagnetic modeling and nonlinear inversion	3	804
Xu, S., see Operto, M. S.	4	1223
Xu, T., see Zeng, X.	1	113
Yao, C., see Zeng, H.	2	421
Yeates, A. N., see Drummond, B. J.	6	1852
Zanzi, L., see Mazzotti, A. P.	5	1402
Zeng, H., The 3-D geometry of the Linglong granitic complex from 2-D gravity forward modeling, Shandong Province, east China	2	421
Zeng, X., Synthesis of amplitude-versus-offset variations in ground-penetrating radar data	1	113
Zhang, C., Euler deconvolution of gravity tensor gradient data	2	512
Zhang, P., see Fullagar, P. F.	6	1920
Zhang, Y., Permeability evaluation in a glauconite-rich formation in the Carnarvon Basin, Western Australia	1	46
Zhang, Y., see Drummond, B. J.	6	1852
Zhang, Z., Determining bed boundaries from inversion of EM logging data using general measures of model structure and data misfit	1	76
Zhang, Z., Reconstruction of 1-D conductivity from dual-loop EM data	2	492
Zhdanov, M. S., Electromagnetic inversion using quasi-linear approximation	5	1501
Zhdanov, M. S., Quasi-analytical approximations and series in electromagnetic modeling	6	1746
Zhou, H., Analytic study of the geometrical spreading of P-waves in a layered transversely isotropic medium with a vertical symmetry axis	4	1305
Zhou, H., Application of vertical radar profiling technique to Sendai Castle	2	533
Zhou, H., Rigorous absorbing boundary conditions for 3-D one-way wave extrapolation	2	638
Zhu, J., Two-dimensional, three-component wave propagation in a transversely isotropic medium with arbitrary—orientation—finite-element modeling	3	934
Zuo, D., see Xie, G.	3	804